

Public Health and Preventive Medicine



Public health and preventive medicine

**Dana Müllerová, Monika Bludovská,
Iva Kladnická, Jana Langmajerová,
Iveta Plavinová, and Pavel Sedláček**

Reviewers:

Prof. MUDr. Zuzana Derflerová Brázdová, DrSc., Masaryk University

Doc. MUDr. Pavel Dlouhý, Ph.D., Charles University

Authors:

Prof. MUDr. Dana Müllerová, Ph.D.

MUDr. Monika Bludovská, Ph.D.

Mgr. Iva Kladnická

MUDr. Jana Langmajerová, Ph.D.

MUDr. Mgr. Iveta Plavinová

MUDr. Pavel Sedláček, Ph.D.

Published by Charles University

Karolinum Press

Prague 2021

Copy-edited by Tereza Sloupová

Layout by Karolinum Press

Typeset by Karolinum Press

First English edition

© Charles University, 2021

Text © Monika Bludovská, Iva Kladnická,

Jana Langmajerová, Dana Müllerová,

Iveta Plavinová, Pavel Sedláček, 2021

Cover illustration © Magdalena Fialová, 2021

Illustrations © Lenka Jetlebová, 2021

ISBN 978-80-246-4863-7

ISBN 978-80-246-4951-1 (pdf)



Charles University
Karolinum Press

www.karolinum.cz
ebooks@karolinum.cz

It is my pleasure to express my gratitude to both the reviewers, Prof. Zuzana Dreflerová-Brázdová, M.D., Ph.D., (Masaryk University), and Prof. Pavel Dlouhý, Ph.D., (Charles University), for their inspiring suggestions in creating this teaching material for medical students. I would also like to thank my co-authors for their contributions and, last but not least, Shivani Birla, MDDr., and Tereza Sloupová for their kind technical support and language suggestions, which we shall include in our manual.

Pilsen, May 2021

Prof. Dana Müllerová, M.D., Ph.D.

TABLE OF CONTENTS

1. PUBLIC HEALTH AND PREVENTIVE MEDICINE	11
1.1 Health	12
1.1.1 Definition	12
1.1.2 Adaptation	12
1.3.3 Dimensions	14
1.3.4 Determinants	15
1.2 Assessment of population health status	16
1.2.1 Data resources for the assessment of population health status	16
1.3 Health preventive programs	17
2. DIET AND POPULATION	21
2.1 Dietary assessment, nutrition monitoring	22
2.1.1 National food supply	22
2.1.2 Food-frequency questionnaire	23
2.1.3 Dietary recall/records analysis	23
2.1.4 Household surveys	24
2.1.5 Chemical analysis of double portion	25
2.2 Factors influencing food consumption	25
2.3 Dietary recommendations	25
2.3.1 General dietary recommendations	25
2.3.2 Food-based dietary guidelines	26
2.3.3 Dietary reference intake	28
2.3.4 Alternative diets	30
2.3.4.1 Vegetarian diet	31
2.3.4.2 Macrobiotic diet	32
2.3.4.3 Alternative ecological bioproducts/organic products	33
3. MAJOR DIETARY CONSTITUENTS	34
3.1 Energy	34
3.1.1 Energy needs	34
3.1.2 Insufficient energy intake: Marasmus (protein-energy malnutrition)	37
3.1.3 Excessive energy intake: Obesity	37
3.2 Proteins	37
3.2.1 Insufficient intake	39
3.2.2 Excessive intake	39
3.3 Lipids	39
3.4 Carbohydrates	42
3.5 Dietary fiber	42

3.5.1 Components of fiber and their physiological parameters	43
3.5.2 Impact of dietary fiber on the gastrointestinal tract	45
3.5.3 Recommended dose of fiber	45
3.5.4 Diseases associated with lack of dietary fiber	46
3.6 Probiotics in diet	46
3.7 Dietary supplements	48
3.8 The most widespread micronutrients deficiencies	49
3.8.1 Vitamin A deficiency	49
3.8.2 Iron deficiency	50
3.8.3 Iodine deficiency	51
4. NUTRITIONAL-STATUS ASSESSMENT	52
4.1 Medical history	52
4.2 Somatometric measurements	53
4.3 Clinical examination	55
4.4 Laboratory tests	57
4.5 Food-intake information	59
5. NUTRITIONAL NEEDS DURING THE LIFE CYCLE	61
5.1 Nutrition in infancy	61
5.1.1 Nutrition in the first 6 months, breast-feeding	61
5.1.2 Nutritive features of breast milk	62
5.1.3 Basic principles of nutrition from the 7 th to 12 th month	66
5.2 Nutrition of toddlers	68
5.3 Nutrition of preschool and younger school children	69
5.4 Nutrition of older school children and adolescents	70
5.5 Nutrition of elderly people	71
5.5.1 Assessment of nutritional status	71
5.5.2 Malnutrition	73
5.5.3 Dietary recommendations	74
6. FOOD AND NUTRITION POLICY	76
6.1 Food supply in the context of sustainable development	76
6.2 Food safety	77
6.2.1 Alimentary infections	78
6.2.1.1 General symptoms of alimentary infections	78
6.2.1.2 Pathogenetic mechanisms of alimentary infections	78
6.2.1.3 The source	79
6.2.1.4 Transmission	79
6.2.1.5 Latency period	79
6.2.1.6 Diagnosis	79
6.2.1.7 An overview of bacterial alimentary diseases	79
6.2.1.8 An overview of viral alimentary diseases	79
6.2.1.9 An overview of parasitic alimentary diseases	80
6.2.1.10 Special alimentary diseases and infections of the gastrointestinal tract	80
6.2.1.11 Alimentary infections from the hygienic perspective	80
6.2.1.12 Transmission of alimentary diseases and epidemiological interventions	80
6.2.1.13 Anti-epidemic activities against alimentary infections	85
6.2.2 Chemical safety and xenobiotics in foods	88
6.2.2.1 Additives in foods	88
6.2.2.2 Contaminants in foods	89
6.2.3 Quality requirements for drinking water	89
6.2.3.1 Basic hazards from drinking water	91
6.3 Healthy nutrition for all	91

7. SMOKING	93
7.1 Introduction and epidemiology	93
7.2 Substances in tobacco mixture and tobacco smoke	94
7.3 Physiological mechanism of tobacco addiction	95
7.4 Classification and objectivization of tobacco addiction	95
7.5 Health consequences of burning-tobacco use	96
7.5.1 Cardiovascular diseases – mechanisms and effects	96
7.5.2 Oncological diseases – mechanisms and effects	97
7.6 Therapy and brief intervention of patients (method 5 A's)	97
7.7 Public health actions	98
8. ALCOHOL OVERCONSUMPTION	99
9. PHYSICAL ACTIVITY	102
9.1 Global and European strategies	102
9.2 Physical activity in primary prevention	103
9.3 Health-oriented physical fitness and physical activity	104
9.3.1 Physical-activity recommendations	104
9.3.2 The assessment of cardiorespiratory fitness	105
9.3.3 Neuromuscular fitness and postural-pattern assessment	107
10. PREVENTION OF NONCOMMUNICABLE DISEASES	111
10.1 Obesity	111
10.1.1 Epidemiology of obesity	112
10.1.2 Obesity prevention at population level	113
10.1.3 Obesity prevention – an individual approach	115
10.1.4 Diet therapy in the prevention and management of adult obesity	118
10.2 Cardiovascular diseases	119
10.2.1 Risk factors	120
10.2.2 Prevention	120
10.2.2.1 Lifestyle intervention focused on physical activity	124
10.2.2.2 Lifestyle intervention focused on diet	124
10.2.2.3 Mechanisms of cardioprotective effects of phytochemical substances	129
10.3 Oncological diseases and their primary prevention	131
10.3.1 Primary prevention of malignancies from the community point of view	132
10.3.2 Secondary prevention of malignancies from the community point of view	132
10.3.3 Primary and secondary prevention of tumors from the individual point of view	134
11. CHILD AND ADOLESCENT HEALTH	135
11.1 Introduction	135
11.2 Child growth and development	136
11.2.1 Assessment of selected anthropometric data	136
11.2.1.1 Construction and use of growth charts	136
11.2.1.2 Assessment of body length (height) and growth rate	137
11.2.1.3 Determinants of growth	137
11.2.1.4 Growth disorders	138
11.2.1.5 Nutritional-status assessment in children	138
11.2.2 Developmental characteristics of children and adolescents	139
11.2.2.1 Periodization of childhood and adolescence	139
11.2.2.2 Psychomotor and psychosocial development	140
11.3 Health risks of children, the level of stress	143
11.3.1 Fulfilling the basic needs of a child	143
11.3.2 Signs of disrespect for the basic needs of a child	144
11.3.2.1 Health risks in kindergartens	145
11.3.2.2 School and inappropriate school load	146

11.4	Prevention of children's injuries and violence against children	148
11.4.1	Prevention of children's injuries	148
11.4.2	Prevention of violence against children	149
11.4.2.1	Risk factors. Forms of violence: definition, consequences	150
12.	HEALTH AND ENVIRONMENT	154
12.1	Water management	154
12.1.1	Protection of drinking-water sources	155
12.2	Noise and its reduction	155
12.3	Air pollution	157
12.4	Public-health view on waste	159
12.5	Maintaining a safe building environment	160
12.5.1	Indoor climatic conditions	160
12.5.2	Indoor air quality	161
12.5.3	Lighting	162
13.	OXIDATIVE STRESS	164
13.1	Free radicals	164
13.2	Formation of free radicals	165
13.2.1	Endogenous causes	165
13.2.2	Exogenous causes	165
13.3	Antioxidant-defense system	166
13.3.1	Antioxidant enzymes	166
13.3.2	Non-enzymatic antioxidant proteins	167
13.3.3	Low-molecular antioxidant substrates	167
13.4	Total antioxidant capacity	168
13.5	Balance between free radicals and antioxidants	168
13.6	Beneficial effects of free radicals	168
13.7	Deleterious effects of free radicals on biomolecules	169
13.8	Quantification of oxidative stress	169
13.9	Oxidative-stress-related diseases	170
	References	171

1 PUBLIC HEALTH AND PREVENTIVE MEDICINE

Public health is a scientific field focused on **population health**. It attempts to **extend life expectancy and improve the quality of life of individuals and populations**. Its methodology includes an analysis of the population health, exploring the most common and the most severe risk factors that impact human health. These include not only environmental and occupational conditions but also genetic factors and lifestyle. The outputs of public health are translated into interventions in social and health policies, but their quality and effect depend greatly on the economic and technical development and possibilities of the country. In developing countries, the lower life expectancy is caused by a very high mortality rate of infectious diseases, which are in turn a result of insufficient personal hygiene, problems with drinking water and food resources, and an absent system of vaccination. In developed countries, new risk factors are present, especially lifestyle ones – excessive mental load (leading to stress responses), reduction of physical activity, high availability of processed food and an imbalance of main nutrients. Environmental problems influencing health of populations have also been changing and have gained new attributes in terms of speed, quantity, and quality of pollution. To sum up, public health looks for factors that can be influenced, studies them, and uses interventions to impact health of populations. Its tools are epidemiological methods, and, with the development of technologies and scientific discoveries, new preventive instruments become available to it.

Preventive medicine in a narrow sense deals with an individual consumer of health care (primary, secondary, and tertiary prevention) provided by the health-care sector. Apart from social and health-care interventions, various medical specialties are also of much use here. In this perspective, **primary prevention** aims at preempting the emergence of particular diseases in a person. Its protective arrangements are complex and of both social and medical nature (e.g., individual lifestyle counselling, particular interventions such as vitamin K and D supplementation of newborns and infants, vaccination, assessment of the social environment of a child, or preventive removal of an organ without obvious pathology on the basis of genetic examination pointing towards a high risk of cancer). More and more, approaches of personalized medicine are implemented as well. **Secondary prevention** is the prevention of consequences of an already developed disease, i.e., the preemption of complications, irreversible changes, disability, and lethality. Its main tools are early detection, proper diagnostics, and preventive therapy (for example the use of screening methods – such as occult blood stool test, screening for cervical carcinoma, mammary screening – or other diagnostic methods in patients at risk – colonoscopy, coronarography, etc.). The goal of **tertiary preven-**

tion is to limit the progression of a disease, preempting recurrence of clinical diseases, disability, and loss of self-sufficiency. It focuses on patients suffering from full-blown diseases and consists of therapy and rehabilitation aimed at reaching the health status as it was before the development of the disease. In addition, tertiary prevention tries to reintegrate the patient and to improve his/her quality of life.

1.1 HEALTH

1.1.1 Definition

According to the WHO definition, health is “a state of complete physical, mental, and social well-being and not merely the absence of disease or infirmity.” However, this definition does not take into account the dynamics of health and is outdated, similarly to the statement that everyone is responsible for his/her own health (for example: a smoker, a drug addict, or an obese individual). The new concept considers health as the extent to which an individual or a group is able to realize aspirations and satisfy needs and to change their environment or cope with it. That is, health can be defined as an ability of an organism to continually adapt to constantly changing demands and expectations of the environment. This definition is dynamic, reflecting both phylogenetic and ontogenetic human adaptation. Health is therefore seen as a resource for everyday life, not the objective of living. It brings the ability to realize our expectations and fulfill our needs. Besides physiological needs, this includes our need for safety, belonging, recognition/respect, and self-implementation. Health encompasses three aspects: 1) physical and psychosocial integrity, 2) undisturbed life functions and social roles, and 3) adaptability. Their presence results in well-being, while a disease is therefore an inability to meet the demands of the environment and is a result of exceeding the adaptation abilities of an organism. A disease is often determined by a sudden change of the environment in a short period of time, including lifestyle changes, or by a considerable and maladaptive change of genetic disposition.

A new, positive concept of health emphasizes social and personal resources as well as physical capacities.

1.1.2 Adaptation

Adaptation is a general feature of biological systems. It is the ability to maintain homeostasis, stability, and survival of an organism in changing environmental conditions. The following external conditions play an essential role in the environment we need to adapt to: 1) nutrition including liquids entering through the gastrointestinal system, 2) air with oxygen entering through the respiratory system, and 3) temperature, heat emission, humidity, air circulation, radiation, vibration, and surfaces of surrounding objects that are in contact with the body and which influence its thermoregulatory, mechanical, and chemical processes mainly through the skin. Besides these physical and chemical factors, there is also 4) the biological and immunological load and the specific and the very important 5) psychosocial load, reflecting one's social environment. The psychological load manifests on mental and physical work and the quality of relaxation, including sleep.

Adaptation consists of a variety of autoregulation processes providing survival in changing conditions on both individual and population level (= phylogenetic evolutionary adaptation).

We distinguish between several types of adaptation:

Phylogenetic adaptation: This is a form of species adaptation by selecting those genes in the population that would provide suitable features for survival in a certain environment.

Ontogenetic adaptation: This is an individual adaptation to a prevailing condition present during one's development, for example setting gustatory regulation dependent on prenatal and perinatal nutrition. This plasticity is reduced with age.

Short-term homeostatic adaptation: This includes maintaining homeostasis and a constant control of oscillations (e.g., hypoglycemia, hypotension, or hypothermia). For example, during an acute stress response, the body adapts by means of sympato-adrenal system activation. Short-term homeostatic adaptation is related to maintenance of body temperature, level of glycemia, ions, and liquids, assuring perfusion of crucial organs, etc.

Long-term homeostatic adaptation: This occurs as a consequence of adjustment to long-term environmental changes (i.e., to long-term radical changes of conditions, for example alpine environment, intensive physical training, starvation, or work in extreme temperatures). In this case, besides short-term regulatory mechanisms, long-term physiological processes have to be taken into account (such as an increased level of erythrocytes in alpine environment, more effective utilization of fatty acids in muscles as a source of energy in higher physical activity, or lower energy expenditure during starvation). This type of adaptation can be put to use in health promotion by building the so-called positive health, i.e., achieving higher resistance to external noxious agents.

A specific type of adaptation is **immunological adaptation**, which can be classified as both phylogenetic and ontogenetic. An individual is exposed to external antigens and learns to tolerate them if they are harmless or, if they are not, learns to produce specific mechanisms that provide sufficient protection of the organism in the short-term and long-term period. This adaptation is used in passive and active immunization.

Social (socio-cultural) adaptation is very important. It is associated with social development, social hierarchy, and conscious (as well as subconscious) effort to optimize chances for survival in given conditions. For example, the contemporary society is characterized by technological development, computerization, industrialization, urbanization, and globalization, lower demands on human physical work, partial economic emancipation of women, changes of the family and therefore a significant modification of lifestyle. Watching television passively is a trend of the last 60 years, using computer and electronic communication including social networks is a matter of last 20 years. In the late 90s, spaces for child's play were reduced, as well as paths for walkers or cycling routes (which have started to be rebuilt recently). The use of cars and planes has shortened the distances between people, and the tempo of modern life accelerates. The food industry has enlarged, and the use of highly processed and ultra-processed food has become widespread. Many people nowadays prefer eating out in fast-food restaurants. Men and women have become more independent in certain ways (due to, for example, the decline of religious authority or multi-generation families), but at the same time, they are becoming more isolated and vulnerable. People are exposed to strong pressure to be successful, gain a prestigious position in the society, affluence, and a sense of power. This attitude brings along a lot of disappointment, anxiety, depression, and experience of psychosocial stress accompanied by activation of the sympato-adrenal system

and hypothalamic-pituitary-adrenal-axis dysregulation. According to Hans Selye, **stress** is a nonspecific response of an organism to any load or demand. His theory of general adaptation syndrome describes stress as a three-stage process – alarm reaction, resistance, and exhaustion. If a stress in the third phase lasts too long and is too intense, and if the subject is not able to cope, psychosomatic disorders (“stress diseases”) can develop. If a stressor is adequate to adaptability and can be managed, the process is characterized by a high degree of resistance and consequent adaptation, and it reinforces/strengthens the subject. This type of load is considered healthy and is associated with the term “positive health” or “personal growth.”

1.3.3 Dimensions

Physical health: Absence of physical disease, the bodily aspect of health.

Mental health: The ability to think clearly and coherently. In a broader sense, the ability to reach mental balance.

Emotional health: The ability to adequately feel and express emotions, such as happiness, sadness, fear, anger, etc. This also means coping with stress, tension, depression, and anxiety.

Social health: The ability to establish and maintain social relationships with other people.

Sexual and reproductive health: The ability to build a valuable partnership and prevent sexually transmitted diseases as well as the ability to conceive and give birth to a healthy newborn.

Spiritual health: This type of health is, for some people, connected with religious beliefs and practices; for other people, it has to do with personal creeds, principles of behavior, and ways of achieving peace of mind and being at peace with oneself. Generally, it could be associated with an effort to find a meaning of life, reaching harmony, humbleness, and a sense of belonging with Nature, God, or some Universe equivalent.

Societal health: A person’s health is inextricably related to everything surrounding that person. A “sick” society does not provide the resources for adequate physical and emotional needs (e.g., in situations of insufficient access to food, drinking water, clothing, shelter, and medical care, situations during disasters, economic crises, wars, political oppressions, racism, gender undervaluation). Therefore, societal health means the ability of an individual or group of people to realize aspirations and satisfy needs, change the environment or cope with it. It is a possibility to develop one’s potential and fulfill one’s needs (freedom, education, work opportunities, self-realization, as well as physiological needs).

Environmental health: This includes living in a clean, unpolluted environment and having access to safe drinking water, food, and healthy indoor and outdoor environment. People’s health and lives are adversely affected by global environmental problems like global climate change, ozone-layer depletion, desertification, deforestation, the loss of the planet’s biological diversity, the trans-boundary movements of hazardous wastes and chemicals, light and noise pollution, etc.

1.3.4 Determinants

Diseases can be classified as those that are caused exclusively by genetic dispositions (for example Down syndrome) and the opposite category – diseases caused mainly by external factors (injuries, infections). Nevertheless, most diseases are results of the synergy of external factors and genetic dispositions.

Health determinants are genetic and epigenetic factors, lifestyle factors, and external factors (which can be for example physical, chemical, biological, social, and environmental). The external factors are often uncontrollable by an individual and sometimes even by society. It is estimated that what influences health the most is lifestyle factors (50–60 %), environmental factors (20–25 %), health care (15–20 %), and genetic factors (10–15 %).

Lifestyle is defined as a system of significant activities and relationships, life expressions, and habit characteristics of a certain individual or a social group. It is a set of more or less fixed practices, actions, and behavior. It is a feature of social status. A person chooses their lifestyle from a spectrum of possibilities offered by his/her culture, transforming it according to specific conditions and objectives into an individual system. A particular form of lifestyle is therefore a result of individual actions and the environment (living conditions). Living conditions are the external factor – they are determined by a person's demographic characteristics, socio-economic position including financial resources, etc. They can be divided into levels of an individual, family, workplace, community, and others. The internal factor – the actual choice from offered possibilities, its transformation and everyday practice – depends on the individual. It is influenced by his/her values and priorities, attained level of education, orientation, lifestyle of his/her family, etc. External factors do not necessarily modify individual lifestyle. A person can maintain his/her habits, being unwilling or unable to change them.

In today's society, a shift in appreciated values has been in progress. People's lifestyle is now episodic, discrete, and fragmented. Many aspects of lifestyle (such as fashion, ways of spending free time or behavior related to health) adopted by individuals are generated, marketed, and offered by institutions and the private sector, and the choices that a person makes are under strong social pressure. This can be put in use by the so-called social marketing, which encourages beneficial choices and is an important aspect of many community health programs. Lifestyle factors have a great impact on individual health status and population morbidity and mortality.

The most essential determinants of health in lifestyle are nutrition, the level of physical activity, and smoking and other substance abuse including alcohol consumption, psychosocial stress, and sexual behavior. Other important features include type of employment, preferred mode of transport, pattern of sleep and relaxation, and ways of spending leisure time.

External determinants of health are natural (i.e., for example, physical, chemical, and biological) and societal. The societal environment is produced mostly by human actions. It consists of the (1) socio-economic conditions in the living environment, (2) socio-economic conditions related to nutrition and lifestyle, (3) life conditions, (4) education and culture, (5) interpersonal relationships, and (6) systems of health and social care and demographic factors. Societal factors have a vital impact on health because they determine and control conditions people live in, for example the access to drinking water and nutrition and their quality, housing, education, work and working conditions, social care and health care including prevention or legal protection. They also set norms of acceptable behavior, which shape lifestyles and